Organic technical specification



MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. MDD is higly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

MDD products - **5 years**. Electrical components and fabric - **2 years**.

Certyficate - MFC:



Assembly: product delivered in separate elements

Packing:


cartboard, styrofoam, foam wrap


Boards density:

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3

Technical specification


- 1. Glass top glass LACOBEL 4 mm
- 2. Worktop MFC 28 mm, ABS edge
- 3. Front powder coated steel and plexiglas
- 4. Light source RGBW LED, remote control
- 5. Low side panel MFC 28 mm, ABS edge
- 6. Kick plate HPL brushed aluminium
- 7. Body MFC 18 mm, coated with HPL mat
- 8. Front MFC 28 mm + HPL mat 0,8 mm, ABS edge
- 9. Leveling 5 mm range
- 10. Supporting leg NE41 required for connecting the tops 11. Cable grommets - Ø80 mm





Organic	Date of preparation 02.01.2020
---------	--------------------------------------

Dimensions



Organic pr	Date of	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it,	page 4/6
Organic	preparation 02.01.2020	does not require consistent updates of the document.	dimensions (mm)

Composition elements *



LOG07 728 / 770 / 740 13.5 kg



LOG14K 1400 / 260 / 1105 47 kg



LOG01P 1000 / 220 / 710 25.5 kg



LOG01L 1000 / 220 / 710 25.5 kg



LOG10K 1000 / 260 / 1105 35 kg



LOG08B 740 / 400 / 28 11 kg



LOG10B 1000 / 400 / 740 15 kg



LOG14B 1400 / 400 / 740 20 kg



LOG11B

15 kg

1140 / 400 / 740

0

NE41L 40 / 40 / 712 1.5 kg

Sneeze guard *



NPX1 1000 / 250 / 750 3 kg

* dimensions expressed in millimeters: width x depth x height

Organic	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it,	page 5/6
Organic	02.01.2020	does not require consistent updates of the document.	products

Upper top

Г

1
1
L
117 Glass white
RAL9003

Body




Front, supporting leg - metal

M015 White semi-mat


Front - plexiglass


White


Organic	Organic Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 6/6
Organic	02.01.2020	does not require consistent updates of the document.	colours




Extra charge								














Extra c	Extra charge								













Extra charge								




Extra charge										

A B Image: Sumbel Image: Sumbel										
Symbol			Dimensi	ons				kg m3 pcs	Composition elements	
Α	В]	W1	W2	D1	D2	н]		
LOG22LG	LOG22PG		3100	1370	2540	600	1105	191 kg 1.999 m3 8 pcs	A - LOG01L+2xLOG14K+LOG14B +LOG11B+LOG10K+NE41L B - LOG10K+LOG11B+LOG14B +2xLOG14K+LOG01P+NE41L	


Extra charge									




Extra charge											




Extra charge										





							Extra c	harge						
		W2		D1	0 0	 	D1 6	Š						
Symbol		Dimensi	ons				kg m3 pcs	Composition elements						Í
		W1	W2	D1	D2	Н	1							ĺ
LOG17		1400	1260			1105	97 kg 1.024 m3 3 pcs	LOG11B+LOG14K+LOG10K						



						Ex	tra cha	-ge			
Composition elem											
	Symbol	Dimensions		kg m3 pcs	Comments						
		Width Dep		_						 	
\bigotimes	LOG07	728 770) 740	13.5 kg 0.034 m3 2 pcs	universal element						
	LOG01P	1000 220	710	25.5 kg 0.158 m3 2 pcs	right						
	LOG01L	1000 220) 710	25.5 kg 0.158 m3 2 pcs	left						
	LOG10K	1000 260) 1105	35 kg 0.286 m3 1 pcs							
	LOG14K	1400 260) 1105	47 kg 0.4 m3 1 pcs							
\sim	LOG08B	740 400) 28	11 kg 0.008 m3 1 pcs							
	LOG10B	1000 400) 740	15 kg 0.296 m3 1 pcs							
	LOG14B	1400 400) 740	20 kg 0.414 m3 1 pcs							
	LOG11B	1140 400) 740	15 kg 0.337 m3 1 pcs							
Ø	NE41L	40 40	712	1.5 kg 0.002 m3 1 pcs	round profile leg						

Composition elem	ents												
	Symbol	Dimensions Width De	pth Height	kg m3 pcs	Comments								
	NPX1	1000 25		3 kg 0.01 m3 2 pcs	sneeze guard, clear PET material + metal feet, colour: M009 - aluminium semi-matte								