

Design by Gediminas Juška | Lithuania



## FEATURES

- Easy and fast assembling / disassembling - "metal to metal" construction
- Just one tool for assembling (DIN911 S4)
- Bolted connections (without screws)

## QUALITY STANDARD

- LST EN 527-1:2011
- LST EN 527-2:2003
- LST EN 14073-2:2004

## TECHNICAL INFORMATION

### Desks

#### Desktop

- 0,98" MFC (melamine) with 0,07" ABS edging.

#### Legs

- Welded metal construction from 0,47" tube;
- Powder coated metal;
- Plastic feet with height levelling (+0,39").

#### Metal beam (under desktop)

- Metal tube – 1,57" x 0,78" and 0,78" x 0,78";
- Powder coated metal, color matches the legs.

#### Grommet

- Semi-transparent matte plastic in grey outline;
- Ø 3,14".

### Fixed cabinets

#### Carcass and shelves

- 0,7" MFC (melamine) with 0,03" ABS edging.

#### Doors

- 0,7" MFC (melamine) with 0,03" ABS edging;
- Handleless doors with aluminum profile in between for easy opening.

#### Fittings

- Cams with connecting bolts;
- Fast assembling hinges (do not require any tools to connect hinges and plates);
- Without soft closing.

#### Plastic legs

- Black plastic height levelling feet, H = 0,9" (+0,39").

### Cabinet fixed on 2-desk bench

#### Carcass and shelves

- 0,7" MFC (melamine) with 0,01" ABS edging.

#### Doors

- 0,7" MFC (melamine) with 0,03" ABS edging;
- No handles.

#### Metal supports

- Welded metal construction from 0,47" metal tube;
- Powder coated metal.










#### Fittings

- Cams with connecting bolts;
- Fast assembling hinges (do not require any tools to connect hinges and plates);
- Gas spring;
- With soft closing.

## GUARANTEE

- 5 years

## RANGE



Cabinet fixed on 2-desk bench

## Optional




Fittings for desktop connection (2 pcs.)



Power socket blocks



Cable trays



Cable ducts



Cable clips



Screens



Modesty panels



Cabinet placed on 2-desk bench