



Technical data

product versions

522 - plastic seat and backrest
 525 - plastic seat, mesh backrest
 502 - upholstered seat, plastic backrest
 500 - upholstered seat and backrest
 505 - upholstered seat, mesh backrest

Frame versions

H - four legs
 HC - four legs, castors
 V - cantilever, stackable
 2P - armrests

*Zoo on cantilever without armrests (V version) cannot be offered and distributed in the Federal Republic of Germany.

frame

Metal tube with cross section fi 22 mm.

Variants:

- black (powder coated)
- metallic (powder coated)
- shiny chrome (chrome)
- satin chrome (chrome)

Option - frames H/V in RAL colours: RAL 1000, RAL 2012, RAL 6034, RAL 7005, RAL 9016.

table top

Zoo model may occur with table top (2PB).

Table top is not available as a separate part, it is integrated with the frame.

Purchase as a separate element is not possible. Right hand table top available as a standard.

It's always black composite.

armrests

Polyamide armrest PA.

Plastic colours for armrests:

RAL 1000 (beige-green)

RAL 2012 (orange)

RAL 6034 (turquoise)

RAL 7005 (grey)

RAL 9005 (black)

RAL 9016 (white)

It is possible to freely join the colours of seat, backrest and armrests.

castors/glides

Glides:

- standard - hard glides (for soft floors)

- option - felt glides (for hard floors)

- option - teflon glides (universal)

Castors in HC models:

- hard castors (for soft floors)

- soft castors (for hard floors)

In versions on cantilever (V) it is possible to order the chair without glides.

seat

- plastic

- upholstered - cut foam - density 40 kg/m³

Plastic colours for seat:

RAL 1000 (beige-green)

RAL 2012 (orange)

RAL 6034 (turquoise)

RAL 7005 (grey)

RAL 9005 (black)

RAL 9016 (white)

It is possible to freely join the colours of seat, backrest and armrests.

Seat cover:

- black frame - cover always black (RAL 9005)

- metallic , chrome, satine, RAL frame - cover always grey (RAL 7005) except of chairs with black seat - in that case cover is always black (RAL 9005).

backrest

- plastic

- mesh

- upholstered - cold molded foam - density 130 kg/m³.

Plastic colours for backrest:

RAL 1000 (beige-green)

RAL 2012 (orange)

RAL 6034 (turquoise)

RAL 7005 (grey)

RAL 9005 (black)

RAL 9016 (white)

It is possible to freely join the colours of seat, backrest and armrests.

In model Zoo 500 without armrests the plastic elements connecting the frame with backrest are:

- black frame - always black (RAL 9005)

- metallic, chrome, satine frame - always grey (RAL 7005)

- RAL frame - RAL always in frame colour

net weight

525H, 505H - 6,5 kg

522H, 525HC, 502H - 7,0 kg

522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 7,5 kg

522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 8,0 kg

522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 8,5 kg

522V 2P, 502V 2P, 500HC 2P, 505V 2P - 9,0 kg

500V 2P - 9,5 kg

gross weight

525H, 505H - 10,5 kg

522H, 525HC, 502H - 11,0 kg

522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 11,5kg
 522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 12,0 kg
 522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 12,5 kg
 522V 2P, 502V 2P, 500HC 2P, 505V 2P - 13,0 kg
 500V 2P - 13,5 kg

stacking

Maximum quantity in stack:

522H, 522H 2P, 525H, 525H 2P - 10 pcs.

522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.

522V, 522V 2P, 525V, 525V 2P - 8 pcs.

502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V,

500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5* pcs.

Maximum quantity in stack on trolley:

522H, 525H - 12 pcs.

522H 2P, 525H 2P - 10 pcs.

522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.

522V, 522V 2P, 525V, 525V 2P - 8 pcs.

502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V,


500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5* pcs.


*Chairs upholstered in Valencia - 3 pcs.

additional information


- Chairs numbering
- Rows numbering
- Joining in rows
- Joining of chairs and rows "Anti-panic" system
- Trolley for transportation

Dimensions







525H




525V




502H / 502HC / 505H / 505HC




502H 2P / 502HC 2P / 505H 2P / 505HC 2P




502V / 502VN / 505V / 505VN




502V 2P / 502VN 2P / 505V 2P / 505VN 2P




500V / 500VN




500V 2P / 500VN 2P




502H / 500H / 505H



502V / 500V / 505V



500H / 500HC



500H 2P / 500HC 2P