

Classic — A sophisticated aesthetic. The Classic collection furnishes the office space with high-backed executive seating, managerial and meeting seating with fixed feet and stools, featuring an understated design and luxury covers, with a choice of eight catalogue finishes, fabric and leather, in numerous colour versions. The frame, in chromed steel or matte black coated, also has a base with five spokes available in matte black aluminium and gloss aluminium finishes.



Classic

STANDARD CLASS

Classic is the collection that responds with a touch of class, to the needs of executive and manager offices, but also to the needs of meeting rooms and waiting areas.

In fact, Classic is available in the executive version, manager version, meeting version, visitor version and stool adjustable in height.

THE MECHANICS OF COMFORT

Classic is equipped with a tilt mechanism on central axis lockable in work position or with knee tilt mechanism lockable in 4 positions, tension control according to the user's weight and anti-shock device.

ELEGANT ALSO IN THE DETAILS

In addition to feature elegant lines, Classic is comfortable thanks to the seat and back padding in shaped foam polyurethane, CFC free.


Different types of upholstery, bases and casters offer the possibility to choose the most suitable version for your needs. Classic outer structure in steel tube is available chromed or painted in matt black.

The armrests integrated in the seat match the structure and can be upholstered with a top in the same material of the armchair upholstery.




Models and dimensions


EXECUTIVE




MANAGER




MEETING




MEETING WITH ARMRESTS



STOOL ADJUSTABLE IN HEIGHT



VISITOR CHAIR



Mechanism

	executive	manager	meeting	stool
Tilting mechanism lockable in working position with one lever, body-weight adjustment.	•	•		
Knee tilting mechanism lockable in 5 positions, body-weight adjustment and anti-shock system.	•			
Seat height adjustment gas lift.	•	•	•	•
Fixed seat, swivelling, with memory return mechanism to bring the chair always in the front position.			•	•
Tilting system with gradual rocking toward the back and the front.			•	•

Bases and casters

BASES

5 star die-cast aluminium base, polished, ø 690 mm.



5 star die-cast aluminium base, matt black RAL 9005 finish, ø 690 mm.



5 star die-cast aluminium base, polished, ø 690 mm.



CASTERS

Free casters, ø 50 mm.



Self-braking casters, ø 50 mm.



Self-braking rubber casters, ø 50 mm for hard floors.



Self-braking rubber casters, ø 65 mm for hard floors.



Hollow free and rubber casters, ø 65 mm for hard floors, black structure.




Hollow free and rubber casters, ø 65 mm, for hard floors, chromed structure.



Colours, materials, finishing

FRAME FINISHING



Matt black RAL 9005
finishing



Chromed
finishing

UPHOLSTERY



ME Fabric 13 Colours



IP Fabric 13 Colours



SY Fabric 11 Colours



CL_CX Ecological
leather 13 Colours



N Ecological
leather 13 Colours



S Leather 13 Colours



TS Leather 13 Colours

PCON.PLANNER

It is possible to configurate our model Classic by using pCon.planner program for the design of 2D an 3D environment.

pCon.planner allows to design working solutions in a fast and intuitive way, creating "realistic" images with advanced features, with a considerable saving of time and resources.

It is easy to start using pCon.planner: after downloading the software in the proper page, it is possible to download pCon. catalog, the practical online catalogue of products ready to be set up according to anyone's need, and then include the products in the projects.

For more information on the use of pCon. planner and the access to the products of the SitLand's catalogues, please contact com@sitland.com

WARRANTY

Classic has 5 years warranty.
For any further detail, please contact Sitland's customer service at service@sitland.com



MORE INFORMATION

Sitland spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.

Photos and colours shown are used for reference only and may look different in reality.

Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product.

For any further information, please contact our Customer Service at service@sitland.com



D.Lgs. 81/2008 compliance

Classic complies with the requirements of the Italian Legislative Decree 81/2008 which protects workplace safety in Italy.

The sessions of the Classic collections respond to the following parameters required for workers whose task involves using the computer for more than 20 hours per week:

- the seat must be of the revolving type, secured against slipping or overturning, provided with a stable base with 5 support points (base with 5 spokes);
- the seat must have the seat and backrest independently adjustable so as to ensure good support of the feet and support of the lumbar region;
- the seat must have bevelled edges and must be made of a material that is not too yielding, permeable to water vapor and washable;
- the seat must be easily movable also in relation to the type of floor;
- if necessary, the session must be equipped with a separate footrest, to provide the user with a posture appropriate to the lower limbs.

UNI EN 1335 certification

Classic comply with the norm UNI EN 1335-3.

The work conditions and the protection of the people at work, as far as safety and health are concerned, provide that "the office chairs" are produced according to the ergonomic principles and the functionality requirements contained in the following norms:

- UNI EN 1335-1, dimensions and definitions of the dimensions;
- UNI EN 1335-2, safety requirements;
- UNI EN 1335-3, test procedures for the safety.

The chairs are classified in three different classes according to their specific performance and dimensional characteristics:

- Class A considers the more restrictive dimensional requirements and mostly respect the anthropometric dimensions from 5 to 95% of the population;
- Class B considers the middle requirements among the classes, respecting the minimum requirements requested by D.Lgs. 81/2008;
- Class C considers the minimum requirements.


The tests performed are by Catas on the following models:

- Classic manager
- Classic executive




STATIC LOAD
ON THE FRONT OF THE SEAT

Load: 1.600 N
Number of cycles: 10




TILT TOWARD THE FRONT

Load: 20 N




LATERAL TILTING FOR SEATS
WITH ARMRESTS

Armrest lateral force: 20 N




SEAT AND BACK STATIC LOAD TEST

Load in A: 1.600 N
Load in B: 560 N
Number of cycles: 10





FRONT TILTING

Load: 27 kg
Applied in the furthest point of the seat
from the rotation axis




BACK TILTING
FOR SEATS WITH TILTING BACK

Number of discs: 13





TILT TOWARD THE FRONT

Load: 20 N




DURABILITY TESTS ON THE SEAT AND BACK

Load in A: 1.500 N
 Number of cycles: 120.000
 Load in C - B: 1.200 N - 320 N -
 Number of cycles: 80.000
 Load in J - E: 1.200 N - 320 N -
 Number of cycles: 20.000
 Load in F - H: 1.200 N - 320 N -
 Number of cycles: 20.000
 Load in D - G: 1.100 N - 1.100 N -
 Number of cycles: 20.000




BACK TILTING FOR SEATS WITH TILTING BACK

Number of discs: 13




RESISTANCE TO ROLLING OF THE SEAT WITH NO LOAD

Test speed: 50 mm/s
 Measured resistance: 27 N
 Minimum allowed resistance: 12 N



VERTICAL STATIC LOAD AT THE CENTRE OF THE ARM

Load: 900 N - 750 N
 Number of cycles: 5



DURABILITY TESTS OF THE ARMREST

Application point compared to the most
 forward point of the armrest: 100mm
 Load: 400 N
 Number of cycles: 60.000

